

Exercise : 12

Question: 1

Solution:

i Given:

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^7 dx = \frac{x^{7+1}}{7+1} + c$$

$$= \frac{x^8}{8} + c$$

ii. Given:

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^{-7} dx = \frac{x^{-7+1}}{-7+1} + c$$

$$= \frac{x^{-6}}{-6} + c$$

iii. Given:

$$\int \frac{1}{x} dx = \ln|x| + c$$

iv. Given:

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^{\frac{5}{3}} dx = \frac{x^{\frac{5}{3}+1}}{\frac{5}{3}+1} + c$$

$$= \frac{3x^{\frac{8}{3}}}{8} + c$$

v. Given:

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^{-\frac{5}{4}} dx = \frac{x^{-\frac{5}{4}+1}}{-\frac{5}{4}+1} + c$$

$$= -4x^{-\frac{1}{4}} + c$$

vi. Given:

$$\int a^x dx = \frac{a^x}{\ln a} + c$$

$$\int 2^x dx = \frac{2^x}{\ln 2} + c$$

vii. Given:

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^{\frac{2}{3}} dx = \frac{x^{\frac{2}{3}+1}}{\frac{2}{3}+1} + c$$

$$= \frac{3x^{\frac{5}{3}}}{5} + c$$

viii. Given:

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^{-\frac{3}{4}} dx = \frac{x^{-\frac{3}{4}+1}}{-\frac{3}{4}+1} + c$$

$$= 4x^{\frac{1}{4}} + c$$

ix. Given:

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int 2x^{-2} dx = 2 \frac{x^{-2+1}}{-2+1} + c$$

$$= \frac{-2}{x} + c$$

Question: 2

Solution:

i Given:

$$\begin{aligned} \int \left(6x^5 - \frac{2}{x^4} - 7x + \frac{3}{x} - 5 + 4e^x + 7^x \right) dx \\ = 6 \frac{x^{5+1}}{5+1} - 2 \frac{x^{-4+1}}{-4+1} - 7 \frac{x^2}{2} + 3 \ln|x| - 5x + 4e^x + \frac{7^x}{\ln 7} + c \end{aligned}$$

$$= 6 \frac{x^6}{6} - 2 \frac{x^{-3}}{-3} - 7 \frac{x^2}{2} + 3 \ln|x| - 5x + 4e^x + \frac{7^x}{\ln 7} + c$$

$$= x^6 + \frac{2}{3}x^{-3} - \frac{7}{2}x^2 + 3 \ln|x| - 5x + 4e^x + \frac{7^x}{\ln 7} + c$$

ii. Given:

$$\begin{aligned} \int \left(8 - x + 2x^3 - \frac{6}{x^3} + 2x^{-5} + 5x^{-1} \right) dx \\ = 8x - \frac{x^2}{2} + 2 \frac{x^{3+1}}{3+1} - 6 \frac{x^{-3+1}}{-3+1} + 2 \frac{x^{-5+1}}{-5+1} + 5 \ln|x| + c \end{aligned}$$

$$= 8x - \frac{x^2}{2} + \frac{2}{4}x^4 + \frac{6}{2}x^2 - \frac{2}{4}x^{-4} + 5 \ln|x| + c$$

$$= 8x - \frac{x^2}{2} + \frac{1}{2}x^4 + 3x^2 - \frac{1}{2}x^{-4} + 5 \ln|x| + c$$

iii. Given:

$$\int \left(\frac{x}{a} + \frac{a}{x} + x^a + a^x + ax \right) dx = \frac{1}{a} \frac{x^2}{2} + a \ln|x| + \frac{x^{a+1}}{a+1} + \frac{a^x}{\ln a} + a \frac{x^2}{2} + c$$

Question: 3

Solution:

i. Given:

$$\int (2-5x)(3+2x)(1-x) dx$$

$$= \int (6-11x-10x^2)(1-x) dx$$

$$= \int (10x^3 + x^2 - 17x + 6) dx$$

$$= \frac{10x^4}{4} + \frac{x^3}{3} - \frac{17x^2}{2} + 6x + c$$

$$= \frac{5x^4}{2} + \frac{x^3}{3} - \frac{17x^2}{2} + 6x + c$$

ii. Given:

$$= \int \left(ax^{\frac{5}{2}} + bx^{\frac{3}{2}} + cx^{\frac{1}{2}} \right) dx$$

$$= a \frac{x^{\frac{5}{2}+1}}{\frac{5}{2}+1} + b \frac{x^{\frac{3}{2}+1}}{\frac{3}{2}+1} + c \frac{x^{\frac{1}{2}+1}}{\frac{1}{2}+1} + C$$

$$= \frac{2a}{7} x^{\frac{7}{2}} + \frac{2b}{5} x^{\frac{5}{2}} + \frac{2c}{3} x^{\frac{3}{2}} + C$$

iii. Given:

$$\int \left(x^{\frac{1}{2}} - x^{\frac{4}{3}} + 7x^{-\frac{2}{3}} - 6e^{\ln x^x} + 1 \right) dx$$

$$= \frac{x^{\frac{1}{2}+1}}{\frac{1}{2}+1} - \frac{x^{\frac{4}{3}+1}}{\frac{4}{3}+1} + 7 \frac{x^{-\frac{2}{3}+1}}{-\frac{2}{3}+1} - 6e^{\ln x^x} + x + c$$

$$= \frac{2x^{\frac{3}{2}}}{3} - \frac{3x^{\frac{7}{3}}}{7} - 21x^{-\frac{1}{3}} - 6x^x + x + c$$

Question: 4

Solution:

i. Given:

$$= \int x^6 + x^{-6} - 3x^2 - 3x^{-2} dx$$

$$= \frac{x^7}{7} + \frac{x^{-5}}{5} - x^3 + 3x^{-1} + c$$

ii. Given:

$$= \int x^{\frac{1}{2}} - x^{-\frac{1}{2}} dx$$

$$= \frac{2}{3} x^{\frac{3}{2}} - 2x^{\frac{1}{2}} + c$$

iii. Given:

$$= \int \left(x + \frac{1}{x} + 2 \right) dx$$

$$= \frac{x^2}{2} + \ln|x| + 2x + c$$

iv. Given:

$$= \int \frac{1 + 8x^3 + 6x + 12x^2}{x^4} dx$$

$$= \int x^{-4} + \frac{8}{x} + 6x^{-3} + 12x^{-2} dx$$

$$= -\frac{x^{-3}}{3} + 8\ln|x| - 3x^{-2} - 12x^{-1} + c$$

v. Given:

$$= \int \frac{1 + x^3 + 3x + 3x^2}{\sqrt{x}} dx$$

$$= \int x^{-\frac{1}{2}} + x^{\frac{5}{2}} + 3x^{\frac{1}{2}} + 3x^{\frac{3}{2}} dx$$

$$= 2x^{\frac{1}{2}} + \frac{2}{7}x^{\frac{7}{2}} + 2x^{\frac{3}{2}} + \frac{6}{5}x^{\frac{5}{2}} + c$$

vi. Given:

$$= \int \left(\frac{2x^2}{x-2} + \frac{x-2}{x-2} \right) dx$$

$$= 2 \int \left(\frac{x^2 - 4x + 4}{x-2} + \frac{4x}{x-2} - \frac{4}{x-2} \right) dx + \int dx$$

$$= 2 \left[\int \frac{(x-2)^2}{x-2} dx + 4 \int \frac{x-2+2}{x-2} dx - 4 \int \frac{1}{x-2} dx \right] + x + c$$

$$= 2 \left[\int (x-2) dx + 4 \left(\int dx + 2 \int \frac{1}{x-2} dx \right) - 4 \ln|x-2| \right] + x + c$$

$$= 2 \left[\frac{x^2}{2} - 2x + 4x + 8 \ln|x-2| - 4 \ln|x-2| \right] + x + c$$

$$= x^2 - 4x + 8x + 8 \ln|x-2| + x + c$$

$$= x^2 + 5x + 8 \ln|x-2| + c$$

Question: 5

Solution:

Given:

$$\text{Since, } \int \frac{1}{1+x^2} dx = \tan^{-1} x + c;$$

$$\int \frac{1}{\sqrt{1-x^2}} dx = \sin^{-1} x + c;$$

$$\int a^x dx = \frac{a^x}{\ln a} + c \text{ \&}$$

$$\int \frac{1}{|x|\sqrt{(x^2-1)}} dx = \sec^{-1} x + c$$

So,

$$= x + \tan^{-1} x - 2 \sin^{-1} x + 5 \sec^{-1} x + \frac{a^x}{\ln a} + c$$

Question: 6

Solution:

i. Given:

$$\begin{aligned} &= \int \frac{x^2 + 1 - 2}{x^2 + 1} dx \\ &= \int \frac{x^2 + 1}{x^2 + 1} - \frac{2}{x^2 + 1} dx \\ &= x - 2 \tan^{-1} x + c \end{aligned}$$

ii. Given:

$$\begin{aligned} &= \int \left[\frac{x^6}{x^2 + 1} - \frac{1}{x^2 + 1} \right] dx \\ &= \int \left[\frac{x^6 + 3x^2 + 3x^4 + 1 - 3x^2 - 3x^4 - 1}{x^2 + 1} - \frac{1}{x^2 + 1} \right] dx \\ &= \int \left[\frac{(x^2 + 1)^3}{x^2 + 1} - 3 \frac{x^2}{x^2 + 1} - 3 \frac{x^4}{x^2 + 1} - \frac{1}{x^2 + 1} - \frac{1}{x^2 + 1} \right] dx \\ &= \int (x^2 + 1)^2 dx - 3 \int \left[\frac{x^2 + 1 - 1}{x^2 + 1} \right] dx - 3 \left[\int \frac{x^4 + 2x^2 + 1}{x^2 + 1} + \frac{-2x^2 - 1}{x^2 + 1} dx \right] \\ &\quad - 2 \int \frac{1}{x^2 + 1} dx \\ &= \int (x^4 + 2x^2 + 1) dx - 3 \left[\int dx - \int \frac{1}{x^2 + 1} dx \right] \\ &\quad - 3 \left[\int \frac{(x^2 + 1)^2}{x^2 + 1} dx - 2 \int \frac{x^2}{x^2 + 1} dx - \int \frac{1}{x^2 + 1} dx \right] - 2 \int \frac{1}{x^2 + 1} dx \\ &= \int (x^4 + 2x^2 + 1) dx - 3 \left[\int dx - \int \frac{1}{x^2 + 1} dx \right] \\ &\quad - 3 \left[\int (x^2 + 1) dx - 2 \int \frac{x^2 + 1 - 1}{x^2 + 1} dx - \int \frac{1}{x^2 + 1} dx \right] \\ &\quad - 2 \int \frac{x^2 + 1}{x^2 + 1} dx \\ &= \frac{x^5}{5} + \frac{2}{3} x^3 + x - 3x + 3 \tan^{-1} x - x^3 - 3x + 6x - 3 \tan^{-1} x - 2 \tan^{-1} x + c \\ &= \frac{x^5}{5} + \frac{1}{3} x^3 + x - 2 \tan^{-1} x + c \end{aligned}$$

iii. Given:

$$\begin{aligned} &= \int \frac{x^4 + 2x^2 + 1}{x^2 + 1} + \frac{-2x^2 - 1}{x^2 + 1} dx \\ &= \int \frac{(x^2 + 1)^2}{x^2 + 1} dx - 2 \int \frac{x^2}{x^2 + 1} dx - \int \frac{1}{x^2 + 1} dx \\ &= \int (x^2 + 1) dx - 2 \int \frac{x^2 + 1 - 1}{x^2 + 1} dx - \int \frac{1}{x^2 + 1} dx \\ &= \int (x^2 + 1) dx - 2 \int dx + 2 \int \frac{1}{x^2 + 1} dx - \int \frac{1}{x^2 + 1} dx \end{aligned}$$

$$= \int (x^2 + 1) dx - 2 \int dx + \int \frac{1}{x^2 + 1} dx$$

$$= \frac{1}{3} x^3 - x + \tan^{-1} x + c$$

iv. Given:

$$= \int \left[\frac{x^2 + 1 - 1}{x^2 + 1} \right] dx$$

$$= \int dx - \int \frac{1}{x^2 + 1} dx$$

$$= x - \tan^{-1} x + c$$

Question: 7

Solution:

Given:

$$= \int (9 \sin x - 7 \cos x - 6(\sec x)^2 + 2(\csc x)^2 + (\csc x)^2 - 1) dx$$

$$= -9 \cos x - 7 \sin x - 6 \tan x - 3 \cot x - x + c$$

Question: 8

Evaluate :

Solution:

Given:

$$= \int (\cot x \csc x - (\sec x)^2 + 1 - \tan x \sec x + 2(\sec x)^2)$$

$$= -\csc x - \tan x + x - \sec x + 2 \tan x + c$$

$$= -\csc x + \tan x + x - \sec x + c$$

Question: 9

Solution:

i. Given:

$$= \int (\sec x)^2 + \sec x \tan x dx$$

$$= \tan x + \sec x + c$$

ii. Given:

$$= \int (\csc x)^2 - \cot x \csc x dx$$

$$= -\cot x + \csc x + c$$

Question: 10

Solution:

i. Given:

$$= \int ((\tan x)^2 + (\cot x)^2 + 2) dx$$

$$= \int ((\sec x)^2 - 1 + (\csc x)^2 - 1 + 2) dx$$

$$= \int ((\sec x)^2 + (\csc x)^2) dx$$

$$= \tan x - \cot x + c$$

ii. Given:

$$= \int \left(\frac{1}{(\cos x)^2} + 2 \frac{\sin x}{(\cos x)^2} \right) dx$$

$$= \int ((\sec x)^2 + 2 \tan x \sec x) dx$$

$$= \tan x + 2 \sec x + c$$

iii. Given:

$$= \int (2 \cot x \csc x + 4(\csc x)^2)$$

$$= -2 \csc x - 4 \cot x + c$$

Question: 11

Evaluate :

Solution:

i. Given:

Multiply and divide by $(1 + \cos x)$

$$= \int \frac{1 + \cos x}{1 - (\cos x)^2} dx$$

$$= \int \frac{1 + \cos x}{(\sin x)^2} dx$$

$$= \int ((\csc x)^2 + \csc x \cot x) dx$$

$$= -\cot x - \csc x + c$$

ii. Given:

Multiply and divide by $(1 + \sin x)$

$$= \int \frac{1 + \sin x}{1 - (\sin x)^2} dx$$

$$= \int \frac{1 + \sin x}{(\cos x)^2} dx$$

$$= \int ((\sec x)^2 + \sec x \tan x) dx$$

$$= \tan x + \sec x + c$$

Question: 12

Solution:

i. Given:

Multiply and divide by $(\sec x - \tan x)$

$$= \int \frac{\tan x \sec x - (\tan x)^2}{(\sec x)^2 - (\tan x)^2} dx$$

$$= \int \tan x \sec x - (\tan x)^2 dx$$

$$= \int (\tan x \sec x - (\sec x)^2 + 1) dx$$

$$= \sec x - \tan x + x + c$$

ii. Given:

Multiply and divide by $(\csc x + \cot x)$

$$= \int \frac{(\csc x)^2 + \csc x \cot x}{(\csc x)^2 - (\cot x)^2} dx$$

$$= \int (\csc x)^2 + \csc x \cot x dx$$

$$= -\cot x - \csc x + c$$

Question: 13

Solution:

i. Given:

Multiply and divide by $(1 - \cos x)$

$$= \int \frac{\cos x - (\cos x)^2}{1 - (\cos x)^2} dx$$

$$= \int \frac{\cos x - (\cos x)^2}{(\sin x)^2} dx$$

$$= \int (\cot x \csc x - (\cot x)^2) dx$$

$$= \int (\cot x \csc x - (\csc x)^2 + 1) dx$$

$$= -\csc x + \cot x + x + c$$

ii. Given:

Multiply and divide by $(1 + \sin x)$

$$= \int \frac{\sin x + (\sin x)^2}{1 - (\sin x)^2} dx$$

$$= \int \frac{\sin x - (\sin x)^2}{(\cos x)^2} dx$$

$$= \int (\tan x \sec x + (\tan x)^2) dx$$

$$= \int (\tan x \sec x + (\sec x)^2 - 1) dx$$

$$= \sec x + \tan x - x + c$$

Question: 14

Solution:

i. Given:

$$= \int \sqrt{2(\cos x)^2} dx$$

$$= \sqrt{2} \int \cos x \, dx$$

$$= \sqrt{2} \sin x + c$$

ii. Given:

$$= \int \sqrt{2(\sin x)^2} \, dx$$

$$= \sqrt{2} \int \sin x \, dx$$

$$= -\sqrt{2} \cos x + c$$

Question: 15

Solution:

i. Given:

$$= \int \frac{1}{2(\cos x)^2} \, dx$$

$$= \frac{1}{2} \int (\sec x)^2 \, dx$$

$$= \frac{1}{2} \tan x + c$$

ii. Given:

$$= \int \frac{1}{2(\sin x)^2} \, dx$$

$$= \frac{1}{2} \int (\csc x)^2 \, dx$$

$$= -\frac{1}{2} \cot x + c$$

Question: 16

Solution:

Given:

$$= \int \sqrt{1 + \frac{2 \tan x}{1 + (\tan x)^2}} \, dx$$

$$= \int \sqrt{\frac{(1 + \tan x)^2}{(\sec x)^2}} \, dx$$

$$= \int \left(\frac{1 + \tan x}{\sec x} \right) \, dx$$

$$= \int (\cos x + \sin x) \, dx$$

$$= \sin x - \cos x + c$$

Question: 17

Solution:

Given:

$$= \int \frac{(\sin x)^3}{(\sin x)^2(\cos x)^2} + \frac{(\sin x)^3}{(\sin x)^2(\cos x)^2} dx$$

$$= \int (\tan x \sec x + \csc x \cot x) dx$$

$$= \sec x - \csc x + c$$

Question: 18

Solution:

Given:

$$= \int \tan^{-1} \left(\frac{2 \sin x \cos x}{2(\cos x)^2} \right) dx$$

$$= \int \tan^{-1} (\tan x) dx$$

$$= \int x dx$$

$$= \frac{x^2}{2} + c$$

Question: 19

Solution:

Given:

$$= \int \cos^{-1}(\cos 2x) dx$$

$$= \int 2x dx$$

$$= x^2 + c$$

Question: 20

Solution:

Given:

$$\sin^{-1}(\sin x) + \cos^{-1}(\sin x) = \frac{\pi}{2}$$

$$= \int \left[\frac{\pi}{2} - \sin^{-1}(\sin x) \right] dx$$

$$= \int \left[\frac{\pi}{2} - x \right] dx$$

$$= \frac{\pi}{2} x - \frac{x^2}{2} + c$$

Question: 21

Solution:

Given:

$$= \int \tan^{-1} \sqrt{\frac{(1 - \sin x)^2}{1 - (\sin x)^2}} dx$$

$$= \int \tan^{-1} \left(\frac{1 - \sin x}{\cos x} \right) dx$$

$$\begin{aligned}
 &= \int \tan^{-1} \left(\frac{1 - \cos\left(\frac{\pi}{2} - x\right)}{\sin\left(\frac{\pi}{2} - x\right)} \right) dx \\
 &= \int \tan^{-1} \left(\frac{2 \sin\left(\frac{\pi}{4} - \frac{x}{2}\right) \sin\left(\frac{\pi}{4} - \frac{x}{2}\right)}{2 \sin\left(\frac{\pi}{4} - \frac{x}{2}\right) \cos\left(\frac{\pi}{4} - \frac{x}{2}\right)} \right) dx \\
 &= \int \tan^{-1} \left(\tan\left(\frac{\pi}{4} - \frac{x}{2}\right) \right) dx \\
 &= \int \left(\frac{\pi}{4} - \frac{x}{2} \right) dx \\
 &= \frac{\pi}{4} x - \frac{x^2}{4} + c
 \end{aligned}$$

Question: 22

Solution:

Given:

$$\begin{aligned}
 &= \int (9(\cot x)^2 + 4(\tan x)^2 - 12) dx \\
 &= \int (9(\csc x)^2 + 4(\sec x)^2 - 25) dx \\
 &= -9 \cot x + 4 \tan x - 25x + c
 \end{aligned}$$

Question: 23

Solution:

Given:

$$\begin{aligned}
 &= \int (9(\sin x)^2 + 16(\csc x)^2 + 24) dx \\
 &= \int \left(\frac{9}{2} (1 - \cos 2x) + 16(\csc x)^2 + 24 \right) dx \\
 &= \frac{9}{2} x - \frac{9}{4} \sin 2x - 16 \cot x + 24x + c \\
 &= \frac{57}{2} x - \frac{9}{4} \sin 2x - 16 \cot x + c
 \end{aligned}$$

Question: 24

Solution:

Given:

Multiply and divide by $\sqrt{(x+1)} - \sqrt{(x+2)}$

$$\begin{aligned}
 &= \int \frac{(\sqrt{(x+1)} - \sqrt{(x+2)})}{x+1-x-2} dx \\
 &= - \int \sqrt{(x+3)} + \sqrt{(x+2)} dx \\
 &= \frac{-2}{3} (x+1)^{\frac{3}{2}} + \frac{2}{3} (x+2)^{\frac{3}{2}} + c
 \end{aligned}$$

Question: 25**Solution:**

Given:

Multiply and divide by

$$\begin{aligned}
 &= \int \frac{(\sqrt{(x+3)} + \sqrt{(x+2)})(\sqrt{(x+3)} + \sqrt{(x+2)})}{x+3-x-2} dx \\
 &= \int \sqrt{(x+3)} + \sqrt{(x+2)} dx \\
 &= \frac{2}{3}(x+3)^{\frac{3}{2}} + \frac{2}{3}(x+2)^{\frac{3}{2}} + c
 \end{aligned}$$

Question: 26

Evaluate :

Solution:

Given:

Multiply and divide by $(1 + \cos x)$

$$\begin{aligned}
 &= \int \frac{(1 + \cos x)^2}{1 - (\cos x)^2} dx \\
 &= \int \frac{1 + (\cos x)^2 + 2 \cos x}{(\sin x)^2} dx \\
 &= \int (\csc x)^2 + (\cot x)^2 + 2 \cot x \csc x dx \\
 &= \int (\csc x)^2 + (\csc x)^2 - 1 + 2 \cot x \csc x dx \\
 &= -2 \cot x - 2 \csc x - x + c \\
 &= -2(\csc x + \cot x) - x + c \\
 &= -2\left(\frac{1 + \cos x}{\sin x}\right) - x + c \\
 &= -2\left(\frac{2 \cos \frac{x}{2} \cos \frac{x}{2}}{2 \sin \frac{x}{2} \cos \frac{x}{2}}\right) - x + c \\
 &= -2 \cot \frac{x}{2} - x + c
 \end{aligned}$$

Question: 27**Solution:**

Given:

$$\begin{aligned}
 &= \int \frac{1 + \frac{\sin x}{\cos x}}{1 - \frac{\sin x}{\cos x}} dx \\
 &= \int \frac{\cos x + \sin x}{\cos x - \sin x} dx
 \end{aligned}$$

Let $\cos x - \sin x = t$

$$(-\sin x - \cos x) dx = dt$$

$$-(\sin x + \cos x) dx = dt$$

$$dx = -dt$$

$$\text{So, } I = - \int \frac{dt}{t}$$

$$= -\ln|t| + c$$

$$= -\ln|\cos x - \sin x| + c$$

Question: 28

Evaluate :

Solution:

Given:

$$= \int \frac{\cos(x+b+a-b)}{\sin(x+b)} dx$$

$$= \int \frac{\cos(x+b)\cos(a-b) - \sin(x+b)\sin(a-b)}{\sin(x+b)} dx$$

$$= \cos(a-b) \int \cot(x+b) dx - \int \sin(a-b) dx$$

$$= \cos(a-b) \ln|\sin(x+b)| - x \sin(a-b) + c$$

Question: 29

Evaluate :

Solution:

Given:

$$= \int \frac{\sin(x-\alpha+\alpha-\alpha)}{\sin(x+\alpha)} dx$$

$$= \int \frac{\sin(x+\alpha)\cos(2\alpha) - \sin(2\alpha)\cos(x+\alpha)}{\sin(x+\alpha)} dx$$

$$= \int \cos 2\alpha dx - \sin 2\alpha \int \cot(x+\alpha) dx$$

$$= x \cos 2\alpha - \sin 2\alpha \ln|\sin(x+\alpha)| + c$$

Question: 30

Solution:

Given:

$$= \int \left(x^{\frac{1}{2}} - x^{\frac{3}{2}} \right) dx$$

$$= \frac{2}{3} x^{\frac{3}{2}} - \frac{2}{5} x^{\frac{5}{2}} + c$$

$$= \frac{2}{15} x^{\frac{3}{2}} (5 - 3x) + c$$

Question: 31

Solution:

Given:

$$= \int (\tan x)^2 dx$$

$$= \int ((\sec x)^2 - 1) dx$$

$$= \tan x - x + c$$

Question: 32

Solution:

Given:

$$= \int \frac{2}{(\cos x)^2} dx - \int \frac{3 \sin x}{(\cos x)^2} dx$$

$$= 2 \int (\sec x)^2 dx - 3 \int \tan x \sec x dx$$

$$= 2 \tan x - 3 \sec x + c$$

Exercise : OBJECTIVE QUESTIONS

Question: 1

Solution:

Given:

$$\int x^6 dx,$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^6 dx = \frac{x^{6+1}}{6+1} + c$$

$$= \frac{x^7}{7} + c$$

Question: 2

Solution:

Given:

$$\int x^{\frac{5}{3}} dx$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^{\frac{5}{3}} dx = \frac{x^{\frac{5}{3}+1}}{\frac{5}{3}+1} + c$$

$$= \frac{x^{\frac{8}{3}}}{\frac{8}{3}} + c$$

$$= \frac{3}{8} x^{\frac{8}{3}} + c$$

Question: 3

Solution:

Given:

$$\int \frac{1}{x^3} dx$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int \frac{1}{x^3} dx = \frac{x^{-3+1}}{-3+1} + c$$

$$= -\frac{x^{-2}}{2} + c$$

$$= -\frac{1}{2x^2} + c$$

Question: 4

Solution:

Given:

$$\int \sqrt[3]{x} dx$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int \sqrt[3]{x} dx = \frac{x^{\frac{1}{3}+1}}{\frac{1}{3}+1} + c$$

$$= \frac{x^{\frac{4}{3}}}{\frac{4}{3}} + c$$

$$= \frac{3}{4} x^{\frac{4}{3}} + c$$

Question: 5

Solution:

Given:

$$\int \frac{1}{\sqrt[3]{x}} dx$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int \frac{1}{\sqrt[3]{x}} dx = \frac{x^{\frac{-1}{3}+1}}{\frac{-1}{3}+1} + c$$

$$= \frac{x^{\frac{2}{3}}}{\frac{2}{3}} + c$$

$$= \frac{3}{2} x^{\frac{2}{3}} + c$$

Question: 6

Mark (✓) against

Solution:

Given:

$$\int \sqrt[3]{x^2} dx$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int \sqrt[3]{x^2} dx = \frac{x^{\frac{2}{3}+1}}{\frac{2}{3}+1} + c$$

$$= \frac{x^{\frac{5}{3}}}{\frac{5}{3}} + c$$

$$= \frac{3}{5} x^{\frac{5}{3}} + c$$

Question: 7

Solution:

Given:

$$\int 3^x dx$$

$$\int a^x dx = \frac{a^x}{\ln a} + c$$

$$\int 3^x dx = \frac{3^x}{\ln 3} + c$$

Question: 8

Solution:

Given:

$$\int 2^{\log x} dx$$

$$\text{As } 2^{\log x} = x^{\log 2}$$

$$I = \int x^{\log 2} dx$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$$\int x^{\log 2} dx = \frac{x^{\log 2+1}}{\log 2+1} + c$$

Question: 9

Solution:

Given:

$$\int \operatorname{cosec} x (\operatorname{cosec} x + \cot x) dx = \int (\csc x)^2 + \cot x \csc x dx$$

$$= -\cot x - \csc x + c$$

Question: 10**Solution:**

Given:

$$\int \frac{\sec x}{(\sec x + \tan x)} dx$$

Multiply and divide by (sec x - tan x)

$$= \int \frac{(\sec x)^2 - \tan x \sec x}{(\sec x)^2 - (\tan x)^2} dx$$

$$= \int (\sec x)^2 - \tan x \sec x \, dx$$

$$= \tan x - \sec x + c$$

Question: 11**Solution:**

Given:

$$\int \frac{(1 - \cos 2x)}{(1 + \cos 2x)} dx = \int \frac{2(\sin x)^2}{2(\cos x)^2} dx$$

$$= \int (\tan x)^2$$

$$= \int ((\sec x)^2 - 1) \, dx$$

$$= \tan x - x + c$$

Question: 12**Solution:**

Given:

$$\int \frac{1}{\sin^2 x \cos^2 x} dx$$

As we know $\sin^2 x + \cos^2 x = 1$

$$\int \frac{1}{\sin^2 x \cos^2 x} dx = \int \frac{(\sin x)^2 + (\cos x)^2}{(\sin x)^2 (\cos x)^2} dx$$

$$= \int \frac{1}{(\cos x)^2} + \frac{1}{(\sin x)^2} dx$$

$$= \int (\sec x)^2 + (\csc x)^2 \, dx$$

$$= \tan x - \cot x + c$$

Question: 13**Solution:**

Given:

$$\int \frac{\cos 2x}{\cos^2 x \sin^2 x} dx = \int \frac{(\cos x)^2 - (\sin x)^2}{(\sin x)^2 (\cos x)^2} dx$$

$$= \int \frac{1}{(\sin x)^2} - \frac{1}{(\cos x)^2} dx$$

$$= \int (\csc x)^2 - (\sec x)^2 dx$$

$$= -\cot x - \tan x + c$$

Question: 14

Solution:

Given:

$$\int \frac{(\cos 2x - \cos 2\alpha)}{(\cos x - \cos \alpha)} dx = \int \frac{2 \sin(x + \alpha) \sin(x - \alpha)}{2 \sin\left(\frac{x + \alpha}{2}\right) \sin\left(\frac{x - \alpha}{2}\right)} dx$$

$$= \int 4 \cos\left(\frac{x + \alpha}{2}\right) \cos\left(\frac{x - \alpha}{2}\right) dx$$

$$= 2 \int \cos(x) + \cos(\alpha) dx$$

$$= 2 \sin x + 2x \cos \alpha + c$$

Question: 15

Solution:

Given:

$$\int \sqrt{1 + \cos 2x} dx = \int \sqrt{2(\cos x)^2} dx$$

$$= \sqrt{2} \int \cos x dx$$

$$= \sqrt{2} \sin x + c$$

Question: 16

Solution:

Given:

$$\int \sqrt{1 + \sin 2x} dx = \int \sqrt{1 + \frac{2 \tan x}{1 + (\tan x)^2}} dx$$

$$= \int \sqrt{\frac{(1 + \tan x)^2}{(\sec x)^2}} dx$$

$$= \int \frac{1 + \tan x}{\sec x} dx$$

$$= \int \cos x + \sin x dx$$

$$= \sin x - \cos x + c$$

Question: 17

Solution:

Given:

$$\int \frac{\cos 2x}{\sin^2 x \cos^2 x} dx = \int \frac{(\cos x)^2 - (\sin x)^2}{(\sin x)^2 (\cos x)^2} dx$$

$$= \int \frac{1}{(\sin x)^2} - \frac{1}{(\cos x)^2} dx$$

$$= \int (\csc x)^2 - (\sec x)^2 dx$$

$$= -\cot x - \tan x + c$$

Question: 18

Solution:

Given:

$$\int \frac{dx}{(1 - \cos 2x)} = \int \frac{1}{2(\sin x)^2} dx$$

$$= \frac{1}{2} \int (\csc x)^2 dx$$

$$= -\frac{1}{2} \cot x + c$$

Question: 19

Solution:

Given:

$$\int \frac{\sin 2x}{\sin x} dx = \int \frac{2 \sin x \cos x}{\sin x} dx$$

$$= 2 \int \cos x dx$$

$$= 2 \sin x + c$$

Question: 20

Solution:

Given:

$$\int \frac{(1 - \sin x)}{\cos^2 x} dx = \int \frac{1}{(\cos x)^2} - \frac{\sin x}{(\cos x)^2} dx$$

$$= \int (\sec x)^2 - \tan x \sec x dx$$

$$= \tan x - \sec x + c$$

Question: 21

Solution:

Given:

$$\int \cot^2 x dx = \int ((\csc x)^2 - 1) dx$$

$$= -\cot x - x + c$$

Question: 22

Solution:

Given:

$$\int \sec x (\sec x + \tan x) dx = \int (\sec x)^2 + \sec x \tan x dx$$

$$= \tan x + \sec x + c$$

Question: 23**Solution:**

Given:

$$\int \frac{\sec^2 x}{\operatorname{cosec}^2 x} dx = \int \frac{(\sin x)^2}{(\cos x)^2} dx$$

$$= \int (\tan x)^2 dx$$

$$= \int (\sec x)^2 - 1 dx$$

$$= \tan x - x + c$$

Question: 24**Solution:**

Given:

$$= \int \frac{\sin^2 x}{(1 + \cos x)(1 - \cos x)} dx = \int \frac{1 - (\cos x)^2}{(1 + \cos x)^2} dx$$

$$= \int (1 - \cos x) dx$$

$$= x - \sin x + c$$

Question: 25**Solution:**

Given:

$$\int \frac{\cot x}{(\operatorname{cosec} x - \cot x)} dx = \int \frac{\cot x (\csc x + \cot x)}{((\csc x)^2 - (\cot x)^2)} dx$$

$$= \int \cot x \csc x + (\csc x)^2 dx$$

$$= -\csc x - \cot x + c$$

Question: 26**Solution:**

Given:

$$\int \frac{\sin x}{(1 + \sin x)} dx$$

Multiply and divide by $(1 - \sin x)$

$$= \int \frac{\sin x - (\sin x)^2}{1 - (\sin x)^2} dx$$

$$= \int \frac{\sin x - (\sin x)^2}{(\cos x)^2} dx$$

$$= \int (\tan x \sec x - (\tan x)^2) dx$$

$$= \int (\tan x \sec x - (\sec x)^2 + 1) dx$$

$$= \sec x - \tan x + x + c$$

Question: 27**Solution:**

Given:

$$\int \frac{(1 + \sin x)}{(1 - \sin x)} dx$$

Multiply and divide with $(1 + \sin x)$ to get,

$$\int \frac{(1 + \sin x)}{(1 - \sin x)} dx$$

$$= \int \frac{1 + (\sin x)^2 + 2 \sin x}{1 - (\sin x)^2} dx$$

$$= \int \frac{1 + (\sin x)^2 + 2 \sin x}{(\cos x)^2} dx$$

$$= \int (\sec x)^2 + (\tan x)^2 + 2 \tan x \sec x dx$$

$$= \int 2(\sec x)^2 - 1 + 2 \tan x \sec x dx$$

$$= 2 \tan x - x + 2 \sec x + c$$

Question: 28**Solution:**

Given:

$$\int \frac{1}{(1 + \cos x)} dx$$

Multiply and divide by $(1 - \cos x)$

$$\int \frac{1}{(1 + \cos x)} dx = \int \frac{1 - \cos x}{1 - (\cos x)^2} dx$$

$$= \int \frac{1 - \cos x}{(\sin x)^2} dx$$

$$= \int (\csc x)^2 - \cot x \csc x dx$$

$$= -\cot x + \csc x + c$$

Question: 29**Solution:**

Given:

$$\int \sin^{-1}(\cos x) dx$$

$$\sin^{-1}(\cos x) + \cos^{-1}(\cos x) = \frac{\pi}{2}$$

$$= \int \frac{\pi}{2} - \cos^{-1}(\cos x) dx$$

$$= \int \frac{\pi}{2} - x dx$$

$$= \frac{\pi}{2} x - \frac{x^2}{2} + c$$

Question: 30**Solution:**

Given:

$$\int \tan^{-1} \left\{ \sqrt{\frac{1 - \cos 2x}{1 + \cos 2x}} \right\} dx = \int \tan^{-1} \sqrt{\frac{2(\sin x)^2}{2(\cos x)^2}} dx$$

$$= \int \tan^{-1}(\tan x) dx$$

$$= \int x dx$$

$$= \frac{x^2}{2} + c$$

Question: 31**Solution:**

Given:

$$\int \cot^{-1} \left(\frac{\sin 2x}{1 - \cos 2x} \right) dx = \int \cot^{-1} \left(\frac{2 \sin x \cos x}{1 - 1 + 2(\sin x)^2} \right) dx$$

$$= \int \cot^{-1}(\cot x) dx$$

$$= \int x dx$$

$$= \frac{x^2}{2} + c$$

Question: 32**Solution:**

Given:

$$\int \sin^{-1} \left(\frac{2 \tan x}{1 + \tan^2 x} \right) dx = \int \sin^{-1}(\sin 2x) dx$$

$$= \int 2x dx$$

$$= x^2 + c$$

Question: 33**Solution:**

Given:

$$\int \cos^{-1} \left(\frac{1 - \tan^2 x}{1 + \tan^2 x} \right) dx = \int \cos^{-1}(\cos 2x) dx$$

$$= \int 2x dx$$

$$= x^2 + c$$

Question: 34**Solution:**

Given:

$$\begin{aligned}
 \int \tan^{-1}(\operatorname{cosec} x - \cot x) dx &= \int \tan^{-1}\left(\frac{1 - \cos x}{\sin x}\right) dx \\
 &= \int \tan^{-1}\left(\frac{2 \sin \frac{x}{2} \sin \frac{x}{2}}{2 \sin \frac{x}{2} \cos \frac{x}{2}}\right) dx \\
 &= \int \tan^{-1}\left(\tan \frac{x}{2}\right) dx \\
 &= \int \frac{x}{2} dx \\
 &= \frac{x^2}{4} + c
 \end{aligned}$$

Question: 35

Solution:

Given:

$$\begin{aligned}
 \int \left(\frac{x^4 + 1}{x^2 + 1} \right) dx &= \int \frac{(x^4 + 2x^2 + 1) - 2x^2}{(x^2 + 1)} dx \\
 &= \int \frac{(x^2 + 1)^2}{(x^2 + 1)} dx - 2 \left\{ \int \frac{(x^2 + 1)}{(x^2 + 1)} - \frac{1}{(x^2 + 1)} dx \right\} \\
 &= \int (x^2 + 1) dx - 2 \{ x - \tan^{-1} x \} + c \\
 &= \frac{x^3}{3} - x - 2 \tan^{-1} x + c
 \end{aligned}$$

Question: 36

Solution:

Given:

$$\begin{aligned}
 \int \frac{(ax + b)}{(cx + d)} dx &= \int \frac{ax}{cx + d} + \frac{b}{cx + d} dx \\
 &= a \int \frac{x}{cx + d} \times \frac{c}{c} dx + b \int \frac{1}{cx + d} dx \\
 &= \frac{a}{c} \left(\int \frac{cx + d}{cx + d} dx - \frac{d}{cx + d} \right) + b \ln |cx + d| + c \\
 &= \frac{a}{c} \left(x - \frac{d}{c} \ln |cx + d| \right) + \frac{b}{c} \ln |cx + d| + c \\
 &= \frac{a}{c} x + \frac{(bc - ad)}{c^2} \ln |cx + d| + c
 \end{aligned}$$

Question: 37

Solution:

Given:

$$\begin{aligned}
 \int \frac{(\sin^3 x + \cos^3 x)}{\sin^2 x \cos^2 x} dx &= \int \frac{(\sin x)^3}{(\sin x)^2 (\cos x)^2} + \frac{(\cos x)^3}{(\sin x)^2 (\cos x)^2} dx \\
 &= \int (\tan x \sec x + \csc x \cot x) dx
 \end{aligned}$$

$$= \sec x - \csc x + c$$

Question: 38

Solution:

Given:

$$\int \frac{\sin x}{\sin(x - \alpha)} dx$$

Let $x - \alpha = t$

$$dx = dt$$

$$I = \int \frac{\sin(t + \alpha)}{\sin t} dx$$

$$= \int \frac{\sin t \cos \alpha + \cos t \sin \alpha}{\sin t} dt$$

$$= \int \cos \alpha + \sin \alpha \cot t dt$$

$$= t \cos \alpha + \sin \alpha \ln |\sin t| + c$$

$$= (x - \alpha) \cos \alpha + (\sin \alpha) \ln |\sin(x - \alpha)| + c$$

$$= x \cos \alpha + (\sin \alpha) \ln |\sin(x - \alpha)| + c$$

Question: 39

Solution:

Given:

$$\int \sin 3x \sin 2x dx = \frac{1}{2} \int 2 \sin 3x \sin 2x dx$$

$$= \frac{1}{2} \int \cos x - \cos 5x dx$$

$$= \frac{1}{2} \left\{ \frac{\sin x}{1} - \frac{\sin 5x}{5} \right\} + c$$

$$= \frac{\sin x}{2} - \frac{\sin 5x}{10} + c$$

Question: 40

Solution:

Given:

$$\int \cos 3x \sin 2x dx = \frac{1}{2} \int 2 \cos 3x \sin 2x dx$$

$$= \frac{1}{2} \int \sin 5x + \cos x dx$$

$$= \frac{1}{2} \left\{ \frac{-\cos 5x}{5} + \frac{\sin x}{1} \right\} + c$$

$$= -\frac{\cos 5x}{10} + \frac{\sin x}{2} + c$$

Question: 41

Mark (✓) against

Solution:

Given:

$$\int \cos 4x \cos x \, dx = \frac{1}{2} \int 2 \cos 4x \cos x \, dx$$

$$= \frac{1}{2} \int \cos 5x + \cos 3x \, dx$$

$$= \frac{1}{2} \left\{ \frac{\sin 5x}{5} + \frac{\sin 3x}{3} \right\} + c$$

$$= \frac{\sin 5x}{10} + \frac{\sin 3x}{6} + c$$

